



Rockfon®

Part of ROCKWOOL Group

Rockfon® Infinity™ Transitions

Features & Benefits

- Extruded aluminum transition trims for interior suspended ceiling systems
- Available pre-finished in straight lengths with square cut ends
- Integrates with Chicago Metallic® Ceiling Suspension, Rockfon Stone Wool Ceiling Panels, Rockfon Metal Ceiling systems and industry standard T-Bar grid

Applications

- Drywall ceilings to ACT - Flush
- Drywall ceilings to ACT - Flush Reveal
- Drywall ceilings to ACT - Flush Tegular
- ACT/ACT Ceiling Height Transitions




Rockfon® Infinity™ Transitions



Scan to explore Rockfon®
Infinity™ Transitions
Sustainability Certifications
and Documentation

Transition Profiles




Infinity Transitions - Drywall Grid to Act


Profile	Description	Catalog Number	Rockfon Material Number	Color	Length	Pieces per Carton	Linear Feet per Carton
	Flush Reveal Transition	8101.01	380265	White	144"	6	72
	Flush Tegal Transition	8102.01	380266	White	144"	6	72
	Flush Transition	8103.01	380267	White	144"	6	72

Sold in full carton quantities.
Cartons include 430.00 grid clips and 414.00 straight splices, Inside/Outside corner splices must be ordered separately..


Installation Details



Rockfon® Infinity™ Transitions



Infinity Transition Profile



Infinity Transition (ACT/ACT Elevation Change)


Profile	Description	Catalog Number	Rockfon Material Number	Color	Length	Pieces per Carton	Linear Feet per Carton
	12' Infinity Transition	8100.01	294573	White	12'	6	72

Sold in full carton quantities

Infinity Transition is compatible with the following Infinity products:

- Standard Infinity 2", 4", 6", and 8" - Straight profiles
- Infinity CDX
- Infinity R


Assembly



Rockfon® Infinity™ Transitions

Color Chart


Standard Colors




Other Painted Colors



Woodlands™ Solid Coordinating Colors



Metalwood® Solid Coordinating Colors



Woodscenes® Finishes



Colors shown are reproduced as close as possible to actual product color within the limitations of printing technology. Color chips are available upon request and should be reviewed before making a final selection. Variations in color matches of system components to ceiling panels can result from slight differences in texture, room lighting, painting process and subjectivity of observers.


As stated in CISCA's "Metal Ceilings Technical Guidelines," site conditions can impact installed visual appearance of metal ceilings. Usage of high gloss and metallic finishes in areas of critical lighting may alter final appearance and should be considered for finish selection.

Rockfon® Infinity™ Transitions

Accessories



414.00 Straight Splice
Splices Perimeter Trim Sections
249358



430.00 Grid Clip
Suspension to Trim
249361



417.00 Inside Corner Splice
For Splicing at Inside Corners
249359



429.00 Outside Corner Splice
For Splicing at Outside Corners
249360

Rockfon® Infinity™ Transitions Properties

Material

Extruded Aluminum



Fire Performance

Surface burning characteristics:
UL723 (ASTM E84) Flame Spread Index: 0
Smoke Developed Index (UL Labeled): 0



Environment

85% recycled content
100% locally recyclable



Low-Emitting Materials

UL GREENGUARD Gold certified for low VOC (chemical) emissions in standard colors only and meet the California Department of Public Health (CDPH) Standard Method v1.2-2017 for offices and classroom environments



Warranty

1-Year Limited Product Warranty
See rockfon.com



Hygiene

Metal provides no sustenance to microorganisms



Cleaning

Damp cloth



Discover Rockfon® Infinity™ Transitions

on Ecomedes and see how it aligns with the Common Materials Framework (CMF).